

Looking for Real Exam Questions for IT Certification Exams!

We guarantee you can pass any IT certification exam at your first attempt with just 10-12 hours study of our guides.

Our study guides contain actual exam questions, you will get word to word same on your actual test; accurate answers with detailed explanation verified by experts and all graphics and drag-n-drop exhibits shown just as on the real test.

To test the quality of our guides, you can download the one-fourth portion of any guide from <http://www.certificationking.com> absolutely free.

Besides, we also offer complete version of following exams absolutely free. You can start your certification from these free guides and if you are satisfied you can buy the rest

- ◆ Microsoft: 70-270, 70-305 ◆ Cisco: 642-901 ◆ Oracle: 1Z0-007, 200 ◆ CompTIA: 220-601
- ◆ SUN: 310-014, 310-044 ◆ Citrix: 1Y0-A01, 1Y0-256 ◆ CIW: 1D0-420 ◆ Novell: 50-686
- ◆ Adobe: 9A0-029 ◆ Apple: 9L0-005, 9L0-505 ◆ Avaya: 132-S-100 ◆ Cognos: COG-105
- ◆ CWNP: PW0-100 ◆ EMC: E20-001 ◆ Hyperion: 4H0-002 ◆ HP: HP0-771, HP0-J24
- ◆ IBM: 000-253, 000-700 ◆ Juniper: JN0-100, JN0-201 ◆ Lotus: LOT-739
- ◆ Nortel: 920-803 ◆ SAS: A00-201 ◆ SNIA: S10-100 ◆ Sybase: 510-015
- ◆ Symantec: 250-101 ◆ TeraData: NR0-011

For pricing and placing order, please visit <http://certificationking.com/order.html>

We accept all major credit cards through www.paypal.com

For other payment options and any further query, feel free to mail us at info@certificationking.com

QUESTION NO: 1

Which parameter in smb.conf prohibits users from accessing files outside of the share by following symbolic links?

- A. follow links=No
- B. No parameter is needed because smbd runs in a chroot jail
- C. wide links=No
- D. links=No

Answer: C

Explanation:

QUESTION NO: 2 CORRECT TEXT

After updating the smb.conf file, it is a good idea to run the _____ command before restarting the samba server. (Enter the command only with no path information.)

Answer: testparm

QUESTION NO: 3

Which of the following ports are used by smbd? (Choose three correct answers.)

- A. 445/TCP
- B. 137/UDP
- C. 138/UDP
- D. 135/TCP
- E. 139/TCP

Answer: A,D,E

Explanation:

QUESTION NO: 4 CORRECT TEXT

What VFS module will record the UID and IP address of any client that tries to open a file?

Answer: FULL_AUDIT

QUESTION NO: 5 CORRECT TEXT

When configuring a Samba logon server to force Windows clients to run login.bat upon login, what setting must be added to smb.conf to force execution of this script? Assume that the path to the script is not needed. (Enter the correct parameter and value).

Answer: LOGONSCRIPT=LOGIN.BAT

QUESTION NO: 6

Which of the following development libraries are used to make samba compile with ADS? (Select TWO correct answers.)

- A. Kerberos
- B. IMAP
- C. CUPS
- D. Win32
- E. LDAP

Answer: A,E

Explanation:

QUESTION NO: 7

Which of the following are true of CIFS? (Choose TWO correct answers.)

- A. Opportunistic Locks are supported
- B. Filenames can be in any character set
- C. Filenames can have a maximum length of 127 characters
- D. Unlike SMB, CIFS is not optimized for slow network connections

Answer: A,B

Explanation:

QUESTION NO: 8

What does the entry valid users = @smbusers in the smb.conf file mean when used in a shred

section?

- A. Only the user account smbusers can access this share
- B. Files saved in the specified share will be owned by the group smbusers
- C. Only users connecting from the machine called smbusers can use this share
- D. Only users in the unix group called smbusers can access this share

Answer: D

Explanation:

QUESTION NO: 9

Select the TWO correct answers relating to the scripts of smbldap-tools package:

- A. The smbldap-migrate-accounts command is used to migrate accounts for a LDAP server to a NT server
- B. Smbldap-passwd is used to create and change users passwords
- C. The /etc/smbldap-tools/smbldap_bind.conf file contains the access credentials for the LDAP server
- D. The smbldap-useradd command creates user accounts in both the Samba and LDAP backends
- E. The smbldap-usershow command displays just the user accounts on the samba server

Answer: B,C

Explanation:

QUESTION NO: 10

In /etc/smbldap-tools which file contains the DN and password for the LDAP manager?

- A. smbldap.conf
- B. smbldap_bind.conf
- C. slapd.conf
- D. ldap.conf

Answer: B

Explanation:

QUESTION NO: 11

Which smbldap-tools configuration files require modification before using the TOOLS? (Select THREE correct answers.)

- A. smbldap_tools.pm
- B. smb.conf
- C. ldap.conf
- D. smbldap.conf
- E. smbldap_bind.conf

Answer: A,D,E

Explanation:

QUESTION NO: 12

Which smb.conf setting will load the audit and recycle VFS modules?

- A. vfs objects = audit recycle
- B. vfs=audit recycle
- C. vfs modules = audit,recycle
- D. vfs modules=audit recycle

Answer: A

Explanation:

QUESTION NO: 13 CORRECT TEXT

The command smbldap-useradd _____ will add the domain FOO as a trusted domain. (Specify the options and arguments ONLY.)

Answer: -I FOO

QUESTION NO: 14

When upgrading from Samba 2 to Samba 3, which of the following point should be considered when user information is stored in a LDAP server? (Select TWO correct answers)

- A. Never run the Samba 3 server before the configuration to use the LDAP server is complete
- B. Convert all passwords in the LDAP server to the new encryption method
- C. Change the permissions of the files created by Samba 2 to match the group permissions in

Samba 3

D. Set the domain SID of Samba 3 to the same value of Samba 2 with the net setlocalsid command

E. Dump all data files created by Samba 2 and restore them with Samba 3 to fix the ACLs

Answer: A,D

Explanation:

QUESTION NO: 15 CORRECT TEXT

What is the lowest possible value for the OS level parameter in smb.conf to ensure your Samba server will always win the election against any Microsoft Server? (Enter only the numbering numeric format).

Answer: 33

QUESTION NO: 16

In order to use the user and group mappings stored in an LDAP directory, which setting in smb.conf is correct?

A. idmap backend=ldap://ldap.example.com:636

B. ldmap backend=ldap

C. idmap backend=ldap:ldap://ldap.example.com:636

D. idmap backend=ldap server=ldap://ldap.example.com:636

Answer: C

Explanation:

QUESTION NO: 17

A samba server is configured to use the LDAP password backend. The root DN for the LDAP directory is defined in slapd.conf. In order to define an alternative account used by the samba administrator, which steps are necessary? (Select THREE correct answers)

A. Make sure the password for the new administrative account matches the UNIX root password

B. Add a new Samba administrative account to the LDAP directory

C. Make certain that the 'ldap admin' option in smb.conf does not point to the LDAP root DN

D. Map the administrative account to the domain administrator

E. Change the 'access' attributes in slapd.conf

Answer: B,C,E

Explanation:

QUESTION NO: 18

Which of the following statements about the Samba 3 server are true? (Select THREE correct answers.)

- A. Provided the necessary UNIX groups are created and mapped, the server can automatically migrate usernames to the local SAM
- B. The server can join an ADS domain as a member
- C. The server can be a Domain Controller on an ADS domain
- D. User and group IDs are mapped to an LDAP backend by default
- E. The server password backend supports LDAP operations

Answer: A,B,E

Explanation:

QUESTION NO: 19 CORRECT TEXT

What command will test the file /root/smb.conf for internal correctness? (Enter the command and any required options for parameters)

Answer: testparm /root/smb.conf

QUESTION NO: 20 CORRECT TEXT

Users are reporting that they can access all user home directories on the server in addition to their own. What value must be added to the valid users parameter in the [home] section of smb.conf to disallow this behaviour? (Enter only the required value, do not include the parameter name)

Answer: %S

QUESTION NO: 21

Which files will be stored inside the directory specified below?

```
#smbd -b | grep LOCKDIR
```

LOCKDIR: /var/cache/samba

- A. Configuration files
- B. WINS name cache files
- C. Samba print spool files
- D. TDB files

Answer: D

Explanation:

QUESTION NO: 22

How can it be checked that a machine was successfully added to an Active Directory environment?

- A. net ADS testjoin
- B. net RPC testjoin
- C. testparm -v |grep join
- D. tdbdump /etc/samba/secret.tdb

Answer: A

Explanation:

QUESTION NO: 23

The SAMBADOM domain has been added as a trusted account to an existing domain called WIN3K. Which command should be run on the Samba server in order to establish the trusted relationship to the WIN3K domain?

- A. net rpc addtrust WIN3K
- B. net rpc trustdom establish WIN3K
- C. net rpc trustdom establish SAMBA
- D. net rpc trustdom add WIN3K

Answer: B

Explanation:

QUESTION NO: 24

Which of the following lines should be added to smb.conf to use authenticate users against the Kerberos domain bc.ep.kerberos.biz?

- A. Realm=bc.ep.kerberos.biz
- B. Krb5 workgroup=bc.ep.kerberos.biz
- C. Kerberos=bc.ep.kerberos.biz
- D. Krb5=/etc/krb5.conf

Answer: A

Explanation:

QUESTION NO: 25 CORRECT TEXT

If the idmap parameter is not specified in smb.conf, in which database file will winbind store its UID/GID/SID mappings? (Enter only the filename, without a path.)

Answer: windbind_idmap.tdb

QUESTION NO: 26

Which parameter in the smb.conf defines how long the winbind daemon will cache user and group information?

- A. nscd cache time
- B. cache time
- C. winbind cache time
- D. idmap cache time

Answer: C

Explanation:

QUESTION NO: 27 CORRECT TEXT

Which are the FOUR parameters (in the correct order) to be set in the name resolve order directive to use the following name resolution order?

1. User lmhosts file entries

2. Use a server specified in the 'wins server' directive
3. Use broadcast
4. Use default DNS lookup

Answer: LMHOSTSWINSBCASTHOST

QUESTION NO: 28 CORRECT TEXT

The command _____ is used on a Samba 3 to modify the SSID in an existing NT profile file called NTUser.Dat.

Answer: PROFILES

QUESTION NO: 29

Which of the following commands will mount a remote samba share when the user is winuser and password somepass?

- A. mount -t smbfs -o username=winuser%password=somepass //SERVER/share /media/sambashare
- B. mount -t smbfs -o username=winuser,password=somepass //SERVER/share /media/sambashare
- C. mount -t smbfs -o winuser%password=somepass //SERVER/share /media/sambashare
- D. mount -t smbfs -o username=winuser,password=somepass \\SERVER\share /media/sambashare

Answer: B

Explanation:

QUESTION NO: 30

Which files store printer and driver properties created on the server?

- A. printers.tdb and spooler.tdb
- B. ntforms.tdb and ntprinters.tdb
- C. printers.tdb and drivers.tdb
- D. print_spool.tdb and ntdrivers.tdb
- E. ntprinters.tdb and ntdrivers.tdb

Answer: E

Explanation:

QUESTION NO: 31

The log level parameter in smb.conf should normally not be set higher than 2 because:

- A. The increased verbosity has a negative impact on network bandwidth
- B. Most samba administrators cannot understand the information presented at higher log levels
- C. The server flushes the log file after each operation, which affects overall performance
- D. Credentials supplied by the user are logged, which poses a security risk

Answer: C

Explanation:

QUESTION NO: 32

Which option below shows the correct command line to list the shares exported by the samba server called NAME?

- A. smbclient -N NAME
- B. smbmount -L NAME
- C. smbcontrol -L
- D. smbclient -L NAME

Answer: D

Explanation:

QUESTION NO: 33

The configuration below is contained in the samba main configuration file:

[homes]

comment = Home folder

writable = yes

browseable = no

valid users = %S

However, an attempt at listing the share with smbclient didn't work. Which TWO options below could be possible reasons for this?

- A. One of the reasons is that the browseable directive was set to no, denying the share listing to anonymous users.
- B. The real problem is in the valid users directive, which allows access to the share, but denies access to the Linux file system.
- C. The writable option is in the wrong place in the configuration file.
- D. If the smbclient command was executed by an authenticated user, the share would be listed.
- E. The configurations above are correct but the administrator forgot to reload the configuration by restarting the Samba daemon.

Answer: A,D

Explanation:

QUESTION NO: 34 CORRECT TEXT

When _____ -level security is used, the client will be able to mount multiple shares without supplying further credentials after the first successful authentication.

Answer: USER

QUESTION NO: 35

How is VFS (Virtual File System) support enabled in Samba?

- A. Compile and load vfs.ko and its dependent smbfs kernel modules
- B. Compile and load pvfs.ko kernel module
- C. Compile Samba with VFS module support
- D. Samba does not support VFS
- E. Compile and load vfs.ko kernel module

Answer: C

Explanation:

QUESTION NO: 36

Which of the following should be backed up before a Samba version upgrade? (Choose TWO correct answers.)

- A. Libraries
- B. TDB files
- C. Winbindd_privileged directory
- D. Binaries
- E. Configuration files

Answer: B,E

Explanation:

QUESTION NO: 37 CORRECT TEXT

The _____ command displays, along with other information, the computers in the NetBIOS network working as a text mode equivalent to the Windows My Network Places feature.

Answer: findsmb

QUESTION NO: 38

Which command will mount the accounting share hosted on the Windows server with the NetBIOS name joeserv.

- A. mount -t smbfs //joeserv/accounting /mnt
- B. mount -t smbfs \\joeserv\accounting /mnt
- C. mount -t smbfs -h joeserv \\accounting /mnt
- D. mount -t smbfs -h joeserv //accnounting /mnt

Answer: A

Explanation:

QUESTION NO: 39

There are multiple network interfaces on a server. Which parameters must you set in smb.conf to limit on which interfaces Samba will accept connections? (Choose TWO Correct answers)

- A. listen address
- B. bind interfaces